



**ENDOSCOPY - SUPPLEMENTARY QUESTIONS**

1a. What number OGD was this?

1b. Please state the date and time of the OGD

Date        Unknown      Time      Unknown  
d d m m y y h h m m

2a. What was the reason for this OGD?

- Planned re-look       Failure to achieve haemostasis with previous OGD
- Re-bleed       Other

(please specify)

2a. In your opinion was the time from when the this OGD was indicated to when the patient underwent the OGD acceptable?       Yes       No       Unknown

2b. If No, what was the reason for the delay?

- |   |  |
|---|--|
| <input type="checkbox"/> No suitably skilled endoscopist available<br><input type="checkbox"/> Patient being resuscitated in level 1 bed<br><input type="checkbox"/> Delays in mobilisation of endoscopy team<br><input type="checkbox"/> Awaiting free theatre/endoscopy suite<br><input type="checkbox"/> Other | <input type="checkbox"/> Waiting for anaesthetic team to manage patient during OGD<br><input type="checkbox"/> Patient transferred to level 2/3 bed for resuscitation<br><input type="checkbox"/> In hospital transfer (portering)<br><input type="checkbox"/> Inter hospital transfer |
|---|--|

(please specify)

3a. What was the grade of the endoscopist?

- |  |  |
|--|--|
| <input type="checkbox"/> Consultant<br><input type="checkbox"/> Senior trainee (SpR or fellow) directly supervised by consultant | <input type="checkbox"/> Senior trainee indirectly supervised by consultant<br><input type="checkbox"/> Senior trainee performed alone |
|--|--|

3b. Was a trainee assisting?       Yes       No       Unknown

4a. Where was the OGD undertaken?

- ITU (level 3)     HDU (level 2)     Theatre     Endoscopy unit     Ward     Emergency department

4b. Was the OGD carried out under:       Conscious sedation     No sedation     Unconscious sedation     General anaesthesia

4c. Was the patient intubated?       Yes       No

NCEPOD number:





5a. Was sedation undertaken by an anaesthetist?  Yes  No

5b. If No, was sedation undertaken by the endoscopist?  Yes  No

5c. If YES to 5b, who undertook the monitoring?  Unknown  
  
 (please specify)

5d. What monitoring was used? (Please tick all that apply)

Pulse oximeter  Blood pressure  ECG  Pulse

Other (please specify)

5e. In your opinion was documentation of monitoring adequate?  Yes  No

6. What was the highest pulse rate and lowest systolic BP and O2 sats 2 hours pre- and during OGD?

Pre - OGD pulse  bpm systolic BP  mm Hg O2  %

During OGD pulse  bpm systolic BP  mm Hg O2  %

7. What were the findings of the endoscopy? (Please tick all that apply)

- Variceal bleeding (please go to question 8)  Upper GI bleeding but cause obscured by blood (please go to question 17)
- Non variceal bleeding (please go to question 12)  No upper GI bleeding found (please go to question 17)

**Variceal Bleed**

8a. Did the patient have  Oesophageal varices  Gastric varices  Other varices (please specify)

8b. What endoscopic therapy was used?

- Band ligation  Sclerotherapy
- Glue  Sengstaken, Linton or similar tube
- Other   None  
 (please specify)

8c. If the patient did not receive therapy at the time of this why was this?





9. What drugs were started/continued at the time of diagnosis of variceal bleed

Terlipressin - total duration in days

Antibiotics total duration in days

Octreotide- total duration in days

Tranexamic acid, duration in days

Other

total duration in days

10. Was haemostasis achieved by this endoscopy?  Yes  No

11a. Was there a documented treatment plan should a re-bleed occur?  Yes  No

11b. If Yes which of the following were included?

Redo OGD  CTA  Surgery  End of life care/palliative

IR  Other

**Non variceal bleeding**

12. Which of the following were used? (please tick all that apply)

Adrenaline

Fibrin/thrombin

Mechanical (clips)

Coagulation therapy (eg. heater probe, gold probe, argon plasma laser)

Other

Sclerotherapy

13a. Were acid suppression drugs started post non variceal bleed?  Yes  No

13b. If Yes what was used and for how long?

Proton pump inhibitor  oral  IV  days

H2 Antagonist  oral  IV  days

14. Was Tranexamic acid started?  Yes  No If Yes how long was it used for?  days

15a. Were there any stigmata of recent haemorrhage?  Yes  No

15b. If yes, what were the stigmata of recent haemorrhage (please tick all that apply)?

Active bleeding - arterial or oozing

Fresh blood in upper GI tract

Adherent clot  
Clot washed off  Yes  No

Clean ulcer base

Non bleeding visible vessel

Dark slough or spots on ulcer base





16a. Was haemostasis achieved by this OGD?

Yes

No

16b. Was there a documented treatment plan should a re-bleed occur?

Yes

No

16c. If Yes which of the following were included?

Redo OGD treatment

Surgery

End of life care/palliative

IR

CTA

Other

**All patients who underwent an OGD**

17a. Was another OGD planned?

Yes

No

17b. If yes was it performed?

Yes

No

17c. What was the reason for another OGD?

18a. Did the patient suffer any complications of this OGD?

Yes

No

Unknown

18b. If Yes please specify?

Gastric perforation

Duodenal perforation

Need to use reversal agent (naloxone, flumazenil)

Oesophageal perforation

Exacerbation of bleeding

Chest aspiration

Other

18c. Please use the space below to expand on any answers given in this endoscopy section

