## 12. References

- McQuillan P, Pilkington S, Allan A et al. *Confidential inquiry into quality of care before admission to intensive care*. BMJ 1998; 316: 1853-1858.
- McGloin H, Adam SK, Singer M. *Unexpected deaths and referrals to intensive care of patients on general wards. Are some cases potentially avoidable?* J R Coll Physicians Lond 1999; 33(3):255-259.
- Seward E, Greig E, Preston S, et al. A confidential study of deaths after emergency medical admission: issues relating to quality of care. Clin Med 2003; 3(5):425-434.
- Franklin C, Mathew J. Developing strategies to prevent in-hospital cardiac arrest: analyzing responses of physicians and nurses in the hours before the event. Crit Care Med 1994; 22(2):244-247.
- Schein RM, Hazday N, Pena M, Ruben BH, Sprung CL. *Clinical antecedents to in-hospital cardiopulmonary arrest.* Chest 1990; 98(6):1388-1392.
- Interface of accident and emergency and acute medicine. Report of a working party of the Royal College of Physicians. Royal College of Physicians, 2002.
- Interface between Acute General Medicine and Critical Care. Report of a working party of the Royal College of Physicians. Royal College of Physicians, 2002.
- Acute medicine: making it work for patients. A blueprint for organisation and training. Report of a Working Party of the Royal College of Physicians. Royal College of Physicians, 2004.
- Good Medical Practice for Physicians. Federation of Royal Colleges of Physicians of the UK, 2004.
- Comprehensive Critical Care: a review of adult critical care services. Department of Health. London, 2000.
- Publication of January 2003 census of adult critical care provision. Department of Health, 2003.
  www.dh.gov.uk/PublicationsAndStatistics/PressReleases/PressReleasesNotices/fs/en?
  CONTENT\_ID=4024549&chk=vPKfKz
- <sup>12</sup> Critical to success . Audit Commission. London ,1999.
- Mahoney FI, Barthel D. *Functional evaluation: the Barthel Index*. Maryland State Med J 1965; 14(2):61-65.
- Knaus WA, Draper EA, Wagner DP, Zimmerman JS. APACHE II: a severity of disease classification system. Crit Care Med 1985; 13(10):818-829.
- Stenhouse C, Coates S, Tivey M, Allsop P, Parker T. Prospective evaluation of a modified early warning score to aid earlier detection of patients developing critical illness on a general surgical ward. Br J Anaesth 2000; 84(5):663.
- Teasdale G, Jennett B. Assessment of coma and impaired consciousness. A practical scale. Lancet 1974; 2:81-83.
- <sup>17</sup> Lee A, Bishop G, Hillman K, Daffum K. *The Medical Emergency Team*. Anaesth Intensive Care 1995; 23(2):183-186.

- Bellomo R, Goldsmith D, Uchino S, Buckmaster J, Hart GK, Opdam H, Silvester W, Doolan L, Gutteridge G. *A prospective before-and-after trial of a medical emergency team.* Med J Aust 2003; 179(6):283-287.
- Kause J, Smith G, Prytherch D, Parr M, Flabouris A, Hillman K; Intensive Care Society (UK); Australian and New Zealand Intensive Care Society Clinical Trials Group. A comparison of antecedents to cardiac arrests, deaths and emergency intensive care admissions in Australia and New Zealand, and the United Kingdom the ACADEMIA study. Resuscitation 2004; 62(3)275-282.
- Hillman KM, Bristow PJ, Chey T, Daffurn K, Jacques T, Norman SL, Bishop GF, Simmons G. Duration of life-threatening antecedents prior to intensive care admission. Intensive Care Med 2002; 28(11):1629-34.
- <sup>21</sup> 1991/92 Report. National Confidential Enquiry into Perioperative Deaths. London, 1993.
- Changing the way we operate. The 2001 Report of the National Confidential Enquiry into Perioperative Deaths. NCEPOD. London, 2001.
- Mather HM, Elkeles RS. Attitudes of consultant physicians to the Calman proposals: a questionnaire survey. North West Thames Diabetes and Endocrinology Specialist Group. BMJ 1995; 311(7012):1060-1062.
- Goldhill DR, McNarry AF. Physiological abnormalities in early warning scores are related to mortality in adult inpatients. Br J Anaesth 2004; 92(6):882-884.
- Critical care outreach 2003: progress in developing services. The National Outreach Report 2003.
  Department of Health and National Health Service Modernisation Agency, 2003.
- Goldhill D, Worthington L, Mulcahy A, Tarling M, Sumner A. *The patient at risk team: identifying and managing seriously ill ward patients*. Anaesthesia 1999; 54(9):853-860.
- Subbe CP, Kruger M, Rutherford P, Gemmel L. *Validation of a modified Early Warning Score in Medical Admissions*. Q J Med 2001; 94(10):521-526.
- Stoneham MD, Saville GM, Wilson IH. *Knowledge about pulse oximetry among medical and nursing staff.* Lancet 1994; 344(8933):1339-1342.
- <sup>29</sup> Milburn A. Letter to Chief Executives dated 12/3/2003.
- Baudouin S, Evans T. *Improving outcomes for severely ill medical patients*. Clinical Medicine 2002; 2(2):92-94.
- Smith GB, Poplett N. Knowledge of aspects of acute care in trainee doctors. Postgrad Med J 2002; 78(920):335-338.
- Unfinished business. Proposals for reform of the Senior House Officer grade. Sir Liam Donaldson. Department of Health. London, 2002.
- Modernising medical careers. The response of the four UK Health Ministers to the consultation on Unfinished Business: Proposals for reform of the Senior House Officer grade. Department of Health; Department of Health, Social Services and Public Safety, Northern Ireland; Scottish Executive; National Assembly for Wales, 2003.
- Smith GB, Poplett N. Impact of attending a 1-day multi-professional course (ALERT) on the knowledge of acute care in trainee doctors. Resuscitation 2004; 61(2):117-122.

- Report of the Working Party on the Management of Patients with Major Injuries. Royal College of Surgeons. London, 1985.
- <sup>36</sup> Guidelines for the introduction of outreach services. Intensive Care Society. London, 2002.
- Record-keeping standards inpatients . Royal College of Physicians. http://hiu.rcplondon.ac.uk/clinicalstandards/recordsstandards/index.asp
- Clinical Negligence Schemes for Trusts. General Clinical Risk Management Standards.
  National Health Service Litigation Authority, 2004.
- <sup>39</sup> Good Medical Practice. General Medical Council, 2001.
- Withholding and Withdrawing Life-prolonging Treatments: Good Practice in Decision-making.
  General Medical Council, 2002.
- Cardiopulmonary Resuscitation, Standards for Clinical Practice and Training. A joint statement from The Royal College of Anaesthetists, The Royal College of Physicians of London, The Intensive Care Society, The Resuscitation Council (UK), 2004.
- Guidelines on autopsy practice. Report of a working Group of the Royal College of Pathologists. The Royal College of Pathologists. London, 2002.
- Scoping our practice. The 2004 Report of the National Confidential Enquiry into Patient Outcome and Death. NCEPOD. London, 2004.
- Death Certification and Investigation in England, Wales and Northern Ireland. The report of a fundamental review 2003. Home Office, 2003.
- Blosser SA, Zimmerman HE, Stauffer JL. *Do autopsies of critically ill patients reveal important findings that were clinically undetected?* Crit Care Med 1998; 26(8):1332-1336.
- Functioning as a team. The 2002 Report of the National Confidential Enquiry into Perioperative Deaths. NCEPOD. London, 2002.
- Arabi Y et al. Outcome predictors of cirrhosis patients admitted into the intensive care unit. Eur J Gastroenterol Hepatol 2004; 16(3):333-339.
- The Shipman Inquiry: Third Report Death certification and the investigation of deaths by coroners. (Cm 5854) The Stationery Office, 2003.
- Reforming the coroner and death certifications systems. A Position Paper. Home Office, 2004.